

# Product data sheet

# Closer body TS 2000

# NV



Main body for overhead door closer with link arm EN 2-4

#### AREAS OF APPLICATION

- Fire and smoke protection doors
- Right and left single-action doors
- Single-action doors up to 1100 mm leaf width
- Door leaf installation hinge side and transom installation opposite hinge side
- Door leaf installation opposite hinge side in parallel arm installation possible

# Closer body TS 2000 NV



## PRODUCT FEATURES

- Closing force with variable adjustment from the side
- Closing seed can be adjusted from the front via valve
- Latching action can be adjusted from the front via valve
- Door closer, can be used for right and left hand doors
- Door closer, can be used for leaf and transom installation
- Minimal installation effort due to low number of individual parts and quick setting

## TECHNICAL DATA

Productname	Closer body TS 2000 NV
Closing force in accordance with EN 1154	EN 2 - 4
Leaf width (max.)	1100 mm
Type of installation	Door leaf installation hinge side, Transom installation opposite hinge side, Door leaf installation opposite hinge side
Opening angle (max.)	180 °
Identical design for DIN left and DIN right	Yes
Standard conformity	EN 1154:1996/A1:2002/AC:2006
Suitability for fire protection doors	Yes
Length	226 mm
Width	51 mm
Height	60 mm
Closing force adjustable	Yes, stepless
Adjustable closing speed	Yes
Latching action adjustable	Yes, via valve
Back check integrated	No
Position of closing force adjustment	At the side
Thermo-control valves	Yes
Integrated smoke switch	No

## VARIANTS / ORDER INFO

Designation	Description	Ident-No.	Colour	Closing force in accordance with EN 1154	Dimensions
GEZE TS 2000 NV Closer	Size EN2-4 (without link arm)	128888	according to RAL	EN 2 - 4	226 x 51 x 60 mm
GEZE TS 2000 NV Closer	Size EN2-4 (without link arm)	128885	silver-coloured	EN 2 - 4	226 x 51 x 60 mm
GEZE TS 2000 NV Closer	Size EN2-4 (without link arm)	128887	white RAL 9016	EN 2 - 4	226 x 51 x 60 mm
GEZE TS 2000 NV Closer	Size EN2-4 (without link arm)	128886	dark bronze	EN 2 - 4	226 x 51 x 60 mm

# Closer body TS 2000 NV



Designation	Description	Ident-No.	Colour	Closing force in accordance with EN 1154	Dimensions
GEZE TS 2000 NV Closer	Size EN2-4 (without link arm)	205324	black RAL 9005	EN 2 - 4	226 x 51 x 60 mm

## INSTALLATION MATERIAL

### MOUNTING PLATE SEGMENTAL ARCHED DOOR \*

for TS 2000 NV, arch height max. 130 mm



Designation	Description	Ident-No.	Colour
Mounting plate segmental arched door *	for TS 2000 NV, arch height max. 130 mm	127434	silver-coloured
Mounting plate segmental arched door	for TS 2000 NV, arch height max. 130 mm	127435	according to RAL

### GLASS CLAMPING SHOE

For TS 3000 / 2000 NV



Designation	Description	Ident-No.	Colour	Glass thickness
Glass clamping shoe	for TS 3000/TS 2000 NV	014835	silver-coloured	10 mm
Glass clamping shoe	for TS 3000/TS 2000 NV	014843	white RAL 9016	10 mm
Glass clamping shoe	for TS 3000/TS 2000 NV	014836	dark bronze	10 mm
Glass clamping shoe	for TS 3000/TS 2000 NV	014845	according to RAL	10 mm

### MOUNTING PLATE AND COUNTERPLATE ALL-GLASS DOOR

For TS 3000 / 2000 NV



# Closer body TS 2000 NV



Designation	Description	Ident-No.	Colour	Glass thickness
Mounting plate and counterplate all-glass door	for TS 3000/TS 2000 NV	090259	silver-coloured	10 mm

## MOUNTING PLATE DOOR CLOSER

For TS 2000 NV (BC) with hole pattern in accordance with DIN EN 1154 Supplement 2



Designation	Description	Ident-No.
Mounting plate door closer	for TS 2000 NV and NV BC with hole pattern according to DIN EN 1154 Supplement 1	126234

## LINTEL CASING BRACKET

For TS 3000 / 2000 NV



Designation	Description	Ident-No.	Colour
Lintel casing bracket	for TS 2000 NV / TS 3000 V	127433	according to RAL
Lintel casing bracket	for TS 2000 NV / TS 3000 V	127432	silver-coloured

\* The products designated above may vary in form, type, characteristics, function, or availability depending on the country. Please get in touch with your GEZE contact person if you have any questions.