

# Product Data Sheet

## Astro Collar



Revision 5 - 17th January 2020



## Astro Collar

### Intumescent Pipe Collar

- Intumescent Pipe Collars tested to BS476 Part 20 : 1987.
- EN1366-3 For use on UPVC, ABS, MDPE, HDPE and PP pipes.
- Up to 4 hours fire resistance.
- Surface mounted or cast applications.
- IFC Certification.



#### Product Description

Our intumescent pipe collars are manufactured from a high performance material bonded to the inside of a steel sleeve.

On exposure to heat from a fire they rapidly expand inwards to squeeze the collapsing plastic pipe until the aperture is completely sealed.

Pipe collars are tested in accordance with the performance requirements of BS476: Part 20: 1987.

Astro E Collar can provide 2 hour fire resistance Astro P Collar offers up to 4 hour resistance.

The pipe collars are light and compact, easy to install, maintenance free and find uses in multi- storey office buildings, flat level developments, hospitals and hotels.

Suitable for use and anywhere plastic soil and waste pipes pass through fire compartment walls and floors. Also tested to EN1366-3.

#### Product Availability

The Astroflame Pipe Collar range is available in standard sizes, to suit 55, 82, 110, 160 & 200 mm diameter pipes, and includes intermediate and larger sizes.

Product Code	Product Description	Size	Rating
AFPC55/2E	Astro Collar 55mm 2hr Rated	55mm	2 Hour
AFPC110/2E	Astro Collar 110mm 2hr Rated	110mm	2 Hour
AFPC125/2E	Astro Collar 125mm 2hr Rated	125mm	2 Hour
AFPC355/2E	Astro Collar 355mm 2hr Rated	355mm	2 Hour

### Product Availability

Product Code	Product Description	Size	Rating
AFPC275/3E	Astro Collar 275mm 3hr Rated	275mm	3 Hour
AFPC300/3E	Astro Collar 300mm 3hr Rated	300mm	3 Hour
AFPC315/3E	Astro Collar 315mm 3hr Rated	315mm	3 Hour

Product Code	Product Description	Size	Rating
AFPC32/4P	Astro Collar 32mm 4hr Rated	32mm	4 Hour
AFPC40/4P	Astro Collar 40mm 4hr Rated	40mm	4 Hour
AFPC43/4P	Astro Collar 43mm 4hr Rated	43mm	4 Hour
AFPC55/4P	Astro Collar 55mm 4hr Rated	55mm	4 Hour
AFPC63/4P	Astro Collar 63mm 4hr Rated	63mm	4 Hour
AFPC75/4P	Astro Collar 75mm 4hr Rated	75mm	4 Hour
AFPC82/4P	Astro Collar 82mm 4hr Rated	82mm	4 Hour
AFPC90/4P	Astro Collar 90mm 4hr Rated	90mm	4 Hour
AFPC110/4P	Astro Collar 110mm 4hr Rated	110mm	4 Hour
AFPC125/4P	Astro Collar 125mm 4hr Rated	125mm	4 Hour
AFPC160/4P	Astro Collar 160mm 4hr Rated	160mm	4 Hour
AFPC200/4P	Astro Collar 200mm 4hr Rated	200mm	4 Hour
AFPC225/4P	Astro Collar 225mm 4hr Rated	225mm	4 Hour
AFPC250/4P	Astro Collar 250mm 4hr Rated	250mm	4 Hour

### To Order & Specify

Please contact us and quote the following information - Quantity / Product Code / Product Description / Size  
 Typical example:- 10 / AFPC55/2E / Astro Collar 55mm 2hr / 55mm

>> Tel: [01329 844 500](tel:01329844500) or >> Email: [sales@astroflame.com](mailto:sales@astroflame.com)

### Installation

Please see installation sheet - This can be requested from our sales team T: [01329 844 500](tel:01329844500)  
 or E: [sales@astroflame.com](mailto:sales@astroflame.com)

### Health and Safety

Please see (SDS) Safety Data sheet - This can be requested from our sales team T: [01329 844 500](tel:01329844500)  
 or E: [sales@astroflame.com](mailto:sales@astroflame.com)

As part of our policy of ongoing improvements, we reserve the right to modify, alter or change product specifications without giving notice. Product illustrations are representations only. All information contained in this document is provided for guidance only, and as ASTROFLAME (FIRE SEALS) LTD has no control over the specific application or installation methods of the products, or of the prevailing site conditions, no warranties expressed or implied are intended to be given as to the actual performance of the products mentioned or referred to, and no liability whatsoever will be accepted for any loss, damage or injury arising from the use of the information given of products mentioned or referred to herein.

The above information to the best of our knowledge is true and accurate and based upon current test data and is supplied for your guidance only. Customers should satisfy themselves to the suitability of the product based on the products limitation of applications and that the product is fit for purpose for their intended use and no guarantee is given or implied since the conditions of actual use are beyond our control. ASTROFLAME (FIRE SEALS) LTD, disclaim any liability for loss, damage or other expense arising from the use of information, data or products mentioned or referred to and reserve the right to change any details or specifications without notice. If you are in any doubt as to the suitability of this product for your intended application please contact our technical team on 01329 844500 or email [sales@astroflame.com](mailto:sales@astroflame.com) and we will contact you.