

Product Data Sheet

Astro Wrap



Revision 7 - 17th January 2020



Astro Wrap

Intumescent Pipe Wrap

- Intumescent Pipe Wraps for PVC, PP, MDPE, HDPE and ABS pipes up to 200mm.
- Fire resistance testing to EN 1366-3 EI 120, and BS 476 240mins.
- Suitable for wall and floor installation.
- Tested in Block Wall, Concrete and Masonry.
- Tested in Concrete Floors.
- Long life and is easy to use.
- Certifire 3rd Party Accreditation.



Product Description

Intumescent pipe wraps for fire stopping all types of plastic pipes passing through masonry floors and walls. The wraps have been independently fire tested to EN 1366-3 and BS 476 giving a fire resistance of up to 4 hours. Tested in block, concrete and masonry walls and concrete floors.

Designed to provide high volume expansion and pressure sealing using an intumescent composition based on elastomeric thermoplastic polymers and binders. On exposure to fire the pipe wrap expands rapidly inwards to fill the void left by the collapsing plastic pipe until the aperture is completely sealed.

Tested with pipes up to 200mm diameter including PVC, PP, MDPE, HDPE and ABS types.

Astroflame Intumescent Pipe Wraps are economical, unaffected by moisture, humidity or frost and easy to fit, but care should be taken when fitting to avoid damaging the outer polythene sleeve.

The product is based on an thermoplastic composite and is non-toxic, Halogen free, contains no asbestos, ceramic, mineral fibres and is mould resistant.

Product Availability

Astroflame Pipe Wraps come available in many standard sizes to suit eg. 55, 82, 110, and 160mm diameter pipes with either 2hr or up to 4 hour fire resistance.

Product Code	Product Description	Size	Rating
AFIPW200/2	Astro Wrap 200mm 2hr Rated	200mm	2 Hour

Product Code	Product Description	Size	Rating
AFIPW32/4	Astro Wrap 32mm 4hr Rated	32mm	4 Hour
AFIPW40/4	Astro Wrap 40mm 4hr Rated	40mm	4 Hour
AFIPW55/4	Astro Wrap 55mm 4hr Rated	55mm	4 Hour
AFIPW63/4	Astro Wrap 63mm 4hr Rated	63mm	4 Hour
AFIPW75/4	Astro Wrap 75mm 4hr Rated	75mm	4 Hour
AFIPW82/4	Astro Wrap 82mm 4hr Rated	82mm	4 Hour
AFIPW90/4	Astro Wrap 90mm 4hr Rated	90mm	4 Hour
AFIPW110/4	Astro Wrap 110mm 4hr Rated	110mm	4 Hour
AFIPW125/4	Astro Wrap 125mm 4hr Rated	125mm	4 Hour
AFIPW160/4	Astro Wrap 160mm 4hr Rated	160mm	4 Hour

To Order & Specify

Please contact us and quote the following information - Quantity / Product Code / Product Description / Size
 Typical example:- 20/ AFIPW160/4P / Astro Wrap / 160mm / 4 Hour

>> Tel: [01329 844 500](tel:01329844500) or >> Email: sales@astroflame.com

Installation

Please see installation sheet - This can be requested from our sales team T: [01329 844 500](tel:01329844500)
 or E: sales@astroflame.com

Health and Safety

Please see (SDS) Safety Data sheet - This can be requested from our sales team T: [01329 844 500](tel:01329844500)
 or E: sales@astroflame.com

As part of our policy of ongoing improvements, we reserve the right to modify, alter or change product specifications without giving notice. Product illustrations are representations only. All information contained in this document is provided for guidance only, and as ASTROFLAME (FIRE SEALS) LTD has no control over the specific application or installation methods of the products, or of the prevailing site conditions, no warranties expressed or implied are intended to be given as to the actual performance of the products mentioned or referred to, and no liability whatsoever will be accepted for any loss, damage or injury arising from the use of the information given of products mentioned or referred to herein.

The above information to the best of our knowledge is true and accurate and based upon current test data and is supplied for your guidance only. Customers should satisfy themselves to the suitability of the product based on the products limitation of applications and that the product is fit for purpose for their intended use and no guarantee is given or implied since the conditions of actual use are beyond our control. ASTROFLAME (FIRE SEALS) LTD, disclaim any liability for loss, damage or other expense arising from the use of information, data or products mentioned or referred to and reserve the right to change any details or specifications without notice. If you are in any doubt as to the suitability of this product for your intended application please contact our technical team on 01329 844500 or email sales@astroflame.com and we will contact you.