

Safety Data Sheet

Astro Flexi Coat

UIC of product-type: FLEXCS

Revision 4 - 17th January 2020









Astroflame (Fireseals) LTD : Unit 8 , I.O Centre : Stephenson Road : Segensworth : Fareham : PO15 5RU T - 01329 844500 : F - 01329 844600 : W - www.astroflame.com : E - sales@astroflame.com



Section 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product Name : Astro Flexi Coat

Product Code : AFBFLEXICOAT

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance/mixture : PC1: Adhesives, sealants

1.3. Details of the supplier of the safety data sheet

- Company Name : Astroflame (Fireseals) LTD Unit 8 , I.O Centre Stephenson Road Segensworth Fareham
 - PO15 5RU United Kingdom
- **Tel Number :** (0) 44 1329 844500
- **Fax Number :** (0) 44 1329 844600
- **Email** : sales@astroflame.com

1.4. Emergency telephone number

Tel Number : (0) 44 1329 844500 During office hours 08:00 - 17:30

Section 2: Classification of the substance or mixture

2.1. Classification of the substance or mixture

Classification under CLP : This product has no classification under CLP

2.2. Label elements

Label Elements : This product has no label elements

2.3. Other hazards

PBT : This product is not identified as a PBT /vPvB substance



Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

CALCIUM CARBONATE

EINECS	CAS	PBT/WEL	CLP Classification	Percent
-	1317-65-3	Substance with a Community workplace exposure limit.	-	10-30%
APYRAL - RI	EACH registere	ed number(s): 01-2119529246-39-XXXX		
244-492-7	21645-51-2	Substance with a Community workplace exposure limit.	-	10-30%
IOKAL ULTRAFINE				
207-439-9	471-34-1	Substance with a Community workplace exposure limit.	-	1-10%

Section 4: First aid measures

4.1. Description of first aid measures

Skin Contact Eye contact	 Wash immediately with plenty of soap and water Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.
Ingestion	: Wash out mouth with water
Inhalation	: Not applicable.
4.2. Most import	ant symptons and effects , both acute and delayed
Skin Contact	: There may be irritation and redness at the site of contact.
Eye contact	: There may be pain and redness. The eyes may water profusely. There may be severe pain. The vision may become blurred. May cause permanent damage.
Ingestion	: There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.
Inhalation	: There may be irritation of the throat with a feeling of tightness in the chest.
4.3. Indication of	any immediate medical attention and special treatment needed

Immediate/special treatment : Not applicable

Section 5: Fire-Fighting measures 5.1. Extinguishing media Extinguishing Media : Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers

5.2. Special hazards arising from the substance or mixture

Exposure hazards : In combustion emits toxic fumes

2

W - www.astroflame.com

5.3. Advice for fire-fighters	
Advice for fire-fighters	: Wear self-contained breathing apparatus. Wear protective clothing to pre- vent contact with skin and eyes.
Section 6: Accidental	release measures
6.1. Personal precautions, pro	otective equipment and emergency procedures
Personal precautions	: Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.
6.2. Environmental precaution	ns
Environmental precaution	Do not discharge into drains or rivers. Contain the spillage using bunding.
6.3. Methods and materials for	or containment and cleaning up
Clean-up procedures :	Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.
6.4. Reference to other sectio	ns
Reference to other secti	ons : Refer to section 8 of SDS
Section 7: Handling a	nd storage
7.1. Precautions for safe hand	lling
Handling requirements	 Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Avoid the formation or spread of mists in the air.
7.2. Conditions for safe storage	ge, including any incompatibilities
Storage conditions	: Store in a cool, well ventilated area. Keep container tightly closed.
7.3. Specific end use(s)	
Specific end use(s)	: No data available

ASTROFLAME MANUFACTURERS OF PASSIVE FIRE STOP PRODUCTS

Section 8: Control parameters/personal protection

8.1. Control parameters

Hazardous ingredients:

CALCIUM CARBONATE

Workplace exposure limits:

Workplace	exposure limits:	Respirable dust				
State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL		
EU	-	-	-	5mg/m3		
APYRAL						
UK	-	-	4mg/m3	-		
IOKAL ULTRAFINE						
UK	4 mg/m3	-	-	-		

DNEL/PNEC

DNEL/PNEC

: No data available

8.2. Exposure controls

Engineering measures	Ensure there is sufficient ventilation of the area.	
Respiratory protection	Self-contained breathing apparatus must be available in case of emerge	ency.
Hand protection	Protective gloves.	
Eye protection	Fightly fitting safety goggles. Ensure eye bath is to hand.	
Skin protection	Protective clothing.	

9: Information on basic physical and chemical properties

9.1. Information on basic physical and chemical properties

State	: Liquid
Colour	: Various
Relative density	: 1.3 - 1.40
рН	: 5-9

9.2. Other information

: No data available Other information

Section 10: Stability and reactivity

10.1. Reactivity		
Reactivity	:	Stable under recommended transport or storage conditions.
10.2. Chemical Stability		
Chemical stability	:	Stable under normal conditions.
10.3. Possibility of hazero	dous r	reactions
Hazardous reactions	:	Hazardous reactions will not occur under normal transport or storage conditions. Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid : Heat.

10.5. Incompatible materials

Materials to avoid : Strong oxidising agents. Strong acids.

10.6. Hazardous Decomposition Products

Haz. decomp. products : In combustion emits toxic fumes

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingred	lients	:			
APYRAL					
INAHLATION		RAT	LC50	7.6	mg/l
ORAL		RAT	-	2000	mg/kg
IOKAL ULTRAFINI	E				
ORAL		RAT	LD50	5000	mg/kg
Toxicity values : No data available.					
Symptoms/rout	es of	exposure			
Skin Contact Eye contact					
Ingestion	:	: There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.			ea and stomach
Inhalation	:	There may be irritation of	of the throat with a fe	eling of tightness in th	ne chest.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

ATIL	

ATLANTIC SALMON	96H EC50	100	mg/l
Daphnia magna	48H EC50	100	mg/l
GREEN ALGA (Selenastrum capricornutum)	72H EC50	100	mg/l
SALMO TRUTTA	LC50	100	mg/l

IOKAL ULTRAFINE

ALGAE	72H EC50	200	mg/l
DAPHNIA	49H EC50	1000	mg/l
FISH	96H LC50	10000	mg/l

ASTROFLAME MANUFACTURERS OF PASSIVE FIRE STOP PRODUCTS

12.2. Persistence and Degradability
Persistence and degradability : Biodergradable
12.3. Bioaccumulative potential
Bioaccumulative potential : No bioaccumulation potential
12.4. Mobility in soil
Mobility : Readily absorbed into soil.
12.5. Results of PBT and vPvB assessment
PBT identification : This product is not identified as a PBT/vPvB substance
12.6. Other adverse effects
Other adverse effects: Negligible ecotoxicity
Section 13: Disposal considerations
13.1. Waste treatment methods
Disposal operations : Transfer to a suitable container and arrange for collection by specialised
 disposal company. The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.
Section 14: Transport information
Transport class : This product does not require a classification for transport
Section 15: Regulatory information
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
Specific regulations : Not applicable
15.2. Chemical safety assessment
Chemical safety assessment : A chemical safety assessment has not been carried out for the substance

Chemical safety assessment : A chemical safety assessment has not been carried out for the substance or the mixture by the supplier



Section 16: Other information

Other information		
Other information	:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830. * indicates text in the SDS which has changed since the last revision.
Legal disclaimer	:	The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

As part of our policy of ongoing improvements, we reserve the right to modify, alter or change product specifications without giving notice. Product illustrations are representations only. All information contained in this document is provided for guidance only, and as ASTROFLAME (FIRE SEALS) LTD has no control over the specific application or installation methods of the products, or of the prevailing site conditions, no warranties expressed or implied are intended to be given as to the actual performance of the products mentioned or referred to, and no liability whatsoever will be accepted for any loss, damage or injury arising from the use of the information given of products mentioned or referred to herein.

The above information to the best of our knowledge is true and accurate and based upon current test data and is supplied for your guidance only. Customers should satisfy themselves to the suitability of the product based on the products limitation of applications and that the product is fit for purpose for their intended use and no guarantee is given or implied since the conditions of actual use are beyond our control. ASTROFLAME (FIRE SEALS) LTD, disclaim any liability for loss, damage or other expense arising from the use of information, data or products mentioned or referred to and reserve the right to change any details or specifications without notice. If you are in any doubt as to the suitability of this product for your intended application please contact our technical team on 01329 844500 or email sales@astroflame.com and we will contact you.

