

# Product Data Sheet

## Astro Lumi Cover



Revision 9 - 13th January 2022



## Astro Lumi Cover

### Fire Rated Luminaire Cover

- 60 Minutes Fire Rating to BS 476 Part 23 in suspended ceilings protecting Structural Steel
- Up to 120 Minutes Fire Rating to UL263 / ULC S101-07
- 120 Minutes Fire Rating to EN1365-2 / EN13501-2 in suspended ceilings protecting solid floors
- Provides thermal and acoustic insulation
- Lightweight and flexible, offering easy installation
- Cost effective.



Small Luminaire Cover



Large Luminaire Cover



#### Product Description

The Astro Lumi Covers are fire rated covers or fire canopies designed to fire rate recessed luminaire or fluorescent module fixtures and reinstate the performance of ceilings when penetrated by recessed lights. They help to maintain the fire protection performance of the element protected by the ceiling – preventing or delaying the spread of fire.

The covers are available to suit all common 600 x 600 mm and 1200 x 600 mm fixtures. The covers are ready to install, with no assembly required, and can even be retrofitted into position due to their flexible and durable design. They can be fitted from above or below the ceiling – through the diagonal in the ceiling grid, or folded for tight ceiling spaces. The insulating nature of the covers also offers significant thermal and acoustic benefits to the ceiling system.

#### Product Availability

Product Code	Product Description	Size	Height
AFLUMICOVS	Astro Luminaire Cover Small	600x600mm	150mm
AFLUMICOVL	Astro Luminaire Cover Large	1200x600mm	150mm

#### To Order & Specify

Please contact us and quote the following information - Quantity / Product Code / Product Description / sizes  
Typical example:- 10 / AFLUMICOVS / Astro Luminaire Cover Small / 600x600mm / 150mm

>> Tel: [01329 844 500](tel:01329844500) or >> Email: [sales@astroflame.com](mailto:sales@astroflame.com)

#### Installation

We have technical representatives who provide assistance in the selection and specification of the products on this site and should be consulted for exact installation and product suitability. Ensure an early engagement with ourselves, designers, main contractor and specialist installers before any installation. Other trades and/or manufacturers may need to be consulted. For in-depth information, specification and technical advice please call our Head Office on tel [01329 844 500](tel:01329844500) or email [sales@astroflame.com](mailto:sales@astroflame.com)

#### Maintenance

All interested parties, designer, specifier, main contractor and specialist installers should provide access to allow the fire stopping seals to be regularly inspected and maintained, as well as records kept of such maintenance at minimum periods of 12 months, as required by the Regulatory Reform Order, and repaired if necessary. Reference should be made to the relevant Code of Practice for the Installation and Inspection of Fire Stopping.

#### Competency

It is vital that those entrusted to design or install a fire stopping product have the necessary levels of competence to undertake the task professionally and thoroughly. The level of competency required will be commensurate with the expected complexity of the building. All designers must eliminate, reduce or control foreseeable risks that may arise during installation, construction or maintenance when preparing or modifying designs. Clients should ensure that the principal designer and principal contractor carry out their duties under CDM regulations. The ASFP foundation course in passive fire protection provides essential knowledge as part of demonstrating competency and understanding in this key fire protection specialism.

#### Additional Notes

For further information on installation requirements please refer to the lighting fitting or suspended ceiling manufacturer data to ensure the compatibility of this product, if in doubt please contact the technical team on: T: [01329 844 500](tel:01329844500) or E: [sales@astroflame.com](mailto:sales@astroflame.com)

#### Health and Safety

Please see (SDS) Safety Data sheet - This can be requested from our sales team T: [01329 844 500](tel:01329844500) or E: [sales@astroflame.com](mailto:sales@astroflame.com)

As part of our policy of ongoing improvements, we reserve the right to modify, alter or change product specifications without giving notice. Product illustrations are representations only. All information contained in this document is provided for guidance only, and as ASTROFLAME (FIRE SEALS) LTD has no control over the specific application or installation methods of the products, or of the prevailing site conditions, no warranties expressed or implied are intended to be given as to the actual performance of the products mentioned or referred to, and no liability whatsoever will be accepted for any loss, damage or injury arising from the use of the information given of products mentioned or referred to herein.

The above information to the best of our knowledge is true and accurate and based upon current test data and is supplied for your guidance only. Customers should satisfy themselves to the suitability of the product based on the products limitation of applications and that the product is fit for purpose for their intended use and no guarantee is given or implied since the conditions of actual use are beyond our control. ASTROFLAME (FIRE SEALS) LTD, disclaim any liability for loss, damage or other expense arising from the use of information, data or products mentioned or referred to and reserve the right to change any details or specifications without notice. If you are in any doubt as to the suitability of this product for your intended application please contact our technical team on 01329 844500 or email [sales@astroflame.com](mailto:sales@astroflame.com) and we will contact you.