

Product Data Sheet

Astro FR Door Viewer

Revision 5 - 15th January 2020



Astro HS Door Viewer

Fire Rated, High Security, Door Viewer

- High Security Door Viewer
- Fire Rated for 60 minutes - Timber Doors.
- Fire Rated for 30 minutes - Composite Doors.
- Suits 35mm - 62mm thickness doors
- Person viewing can be seated or standing.
- Prism system permits viewer to be up to 2 metres away from the door.
- 120° external viewing area.
- Antique Gold or Silver Finish in plastic.




Product Description

A door viewer with extra security features and designed for a wider range of users than standard door viewers.

The special prism optics built into this secure door viewer allow the viewer to be stood well back from the door and provide other special features:

Whoever is on the other side of the door can not see inside / view movement. High and Low viewing angles supported. The person viewing can be up to 2 metres back from the door and still see who is outside over a viewing angle of up to 120°. High or Low viewing - the viewer can be standing or seated. The lower viewing option is well suited to wheelchair users or children.

Offering 120 degree view and made from quality plastics. Fire protection is by an intumescent strip, rated for 60 minutes fire resistance.



Product Availability

Product Code	Product Description	Colour
AFDV38G	Astro HS Door Viewer	Gold
AFDV38S	Astro HS Door Viewer	Silver

To Order & Specify

Please contact us and quote the following information - Quantity / Product Code / Product Description / Colour
Typical example:- 6 / AFDV38G / Astro HS Door Viewer / Gold

>> Tel: [01329 844 500](tel:01329844500) or >> Email: sales@astroflame.com

Installation

Please see installation sheet - This can be requested from our sales team T: [01329 844 500](tel:01329844500)
or E: sales@astroflame.com

Health and Safety

Please see (SDS) Safety Data sheet - This can be requested from our sales team T: [01329 844 500](tel:01329844500)
or E: sales@astroflame.com

As part of our policy of ongoing improvements, we reserve the right to modify, alter or change product specifications without giving notice. Product illustrations are representations only. All information contained in this document is provided for guidance only, and as ASTROFLAME (FIRE SEALS) LTD has no control over the specific application or installation methods of the products, or of the prevailing site conditions, no warranties expressed or implied are intended to be given as to the actual performance of the products mentioned or referred to, and no liability whatsoever will be accepted for any loss, damage or injury arising from the use of the information given of products mentioned or referred to herein.

The above information to the best of our knowledge is true and accurate and based upon current test data and is supplied for your guidance only. Customers should satisfy themselves to the suitability of the product based on the products limitation of applications and that the product is fit for purpose for their intended use and no guarantee is given or implied since the conditions of actual use are beyond our control. ASTROFLAME (FIRE SEALS) LTD, disclaim any liability for loss, damage or other expense arising from the use of information, data or products mentioned or referred to and reserve the right to change any details or specifications without notice. If you are in any doubt as to the suitability of this product for your intended application please contact our technical team on 01329 844500 or email sales@astroflame.com and we will contact you.