









# **Astro Pillow**

#### Intumescent Fire Pillow

- Fire Pillows tested to BS476: Part 20: 1987
- EN1026 Air Permeability
- EN10140 Acoustic Reduction
- Up to 4 hours fire integrity
- Available in 4 standard sizes
- Easy to install & re-locate
- Removable for re-use
- For wall floor & ceiling penetrations
- Dustproof safe for the work environment
- Certifire Approval





## **Product Description**

Our fire pillows are manufactured from a hard wearing specially treated glass cloth filled with a mixture of mineral fibre and reactive expansion (intumescent) agents.

On exposure to high temperatures from a fire the intumescent material expands and then hardens to provide a complete and durable seal against the passage of fire, smoke and hot gases.

Intumescent Fire Pillows can be used for creating either temporary or permanent fire barriers. The fire pillows are ideal for sealing Cable Trunkings, Small, Medium and Large Cables, Cable Trays, Cable Ladders and Metallic Pipes that penetrate concrete, block, and masonry walls also tested in concrete floors.

Suitable for use in telephone exchanges, rooms and other areas where cable services are frequently modified.



### **Product Description**

These intumescent pillows have been independently tested in accordance with BS476: Part 20: 1987 and can provide up to 4 hours fire integrity.

### **Product Availability**

Available in 4 standard sizes to enable effective sealing in whatever size or shape of opening either in walls or floors.

Product Code	Product Description	Size
AFFPSAS	Astro Pillow Sausage	300x50x40mm
AFFPS	Astro Pillow Small	300x100x40mm
AFFPM	Astro Pillow Medium	300x150x40mm
AFFPL	Astro Pillow Large	300x200x40mm

### To Order & Specify

Please contact us and quote the following information - Quantity / Product Code / Product Description / Size Typical example:- 10 / AFFPSAS / Astro Pillow Sausage / 300x50x40mm

>> Tel: 01329 844 500 or >> Email: sales@astroflame.com

### Installation

Please see installation sheet - This can be requested from our sales team T: <u>01329 844 500</u> or E: <u>sales@astroflame.com</u>

### Health and Safety

Please see (SDS) Safety Data sheet - This can be requested from our sales team T: <u>01329 844 500</u> or E: <u>sales@astroflame.com</u>

As part of our policy of ongoing improvements, we reserve the right to modify, alter or change product specifications without giving notice. Product illustrations are representations only. All information contained in this document is provided for guidance only, and as ASTROFLAME (FIRE SEALS) LTD has no control over the specific application or installation methods of the products, or of the prevailing site conditions, no warranties expressed or implied are intended to be given as to the actual performance of the products mentioned or referred to, and no liability whatsoever will be accepted for any loss, damage or injury arising from the use of the information given of products mentioned or referred to herein.

The above information to the best of our knowledge is true and accurate and based upon current test data and is supplied for your guidance only. Customers should satisfy themselves to the suitability of the product based on the products limitation of applications and that the product is fit for purpose for their intended use and no guarantee is given or implied since the conditions of actual use are beyond our control. ASTROFLAME (FIRE SEALS) LTD, disclaim any liability for loss, damage or other expense arising from the use of information, data or products mentioned or referred to and reserve the right to change any details or specifications without notice. If you are in any doubt as to the suitability of this product for your intended application please contact our technical team on 01329 844500 or email sales@astroflame.com and we will contact you.

T - 01329 844500 F - 01329 844600 Page 2 W - www.astroflame.com E - sales@astroflame.com