

Product Data Sheet

Astro Protecta Single fire door pack - 60 minute rating


Revision 5 - 10th February 2020



Astro Protecta

Ironmongery Protection

- Protects fire door furniture
- Tested to BS476 : Part 22 up to 60 min.
- Easy to install
- Maintenance free
- Upgrade weakpoints



Product Description

A graphite based intumescent material to upgrade fire door furniture weak points.

Supplied in sheet or pack form to suit most fire door dimensions and easily cut to fit behind hinges, door closures, plates etc.

Product Availability

The Ironmongery Door Handle range is available in standard sizes, to suit 19 mm and 229 mm.

Product Code	Product Description	Size
AFPTEC	3 x Intumescent hinge strips 1 x Intumescent paper	36mm X 300mm X 2mm 500mm X 500mm X 0.5mm
AFHS36	Intumescent hinge strips (6 pieces per pack)	36mm X 300mm X 2mm
AFLS	Intumescent paper for lock, door, closer etc (1 per pack)	500mm X 500mm X 0.5mm

Product Options: 0.3mm Self-Adhesive backing also available on **Lock sheets only** please contact us for more details

To Order & Specify

Please contact us and quote the following information - Quantity / Product Code / Product Description / Size
Typical example:- 25 / AFPTEC / 3 x Intumescent hinge strips 1 x Intumescent paper / 36mm X 300mm X 2mm

>> Tel: [01329 844 500](tel:01329844500) or >> Email: sales@astroflame.com

Installation

Please see installation sheet - This can be requested from our sales team T: [01329 844 500](tel:01329844500)
or E: sales@astroflame.com

Health and Safety

Please see (SDS) Safety Data sheet - This can be requested from our sales team T: [01329 844 500](tel:01329844500)
or E: sales@astroflame.com

Fire Test or Assessment Reports

- Warrington Fire Research: Global Assessment C100767
- Trada/Chiltern: RF40523, RF95041, RF95079, RF95080

As part of our policy of ongoing improvements, we reserve the right to modify, alter or change product specifications without giving notice. Product illustrations are representations only. All information contained in this document is provided for guidance only, and as ASTROFLAME (FIRE SEALS) LTD has no control over the specific application or installation methods of the products, or of the prevailing site conditions, no warranties expressed or implied are intended to be given as to the actual performance of the products mentioned or referred to, and no liability whatsoever will be accepted for any loss, damage or injury arising from the use of the information given of products mentioned or referred to herein.

The above information to the best of our knowledge is true and accurate and based upon current test data and is supplied for your guidance only. Customers should satisfy themselves to the suitability of the product based on the products limitation of applications and that the product is fit for purpose for their intended use and no guarantee is given or implied since the conditions of actual use are beyond our control. ASTROFLAME (FIRE SEALS) LTD, disclaim any liability for loss, damage or other expense arising from the use of information, data or products mentioned or referred to and reserve the right to change any details or specifications without notice. If you are in any doubt as to the suitability of this product for your intended application please contact our technical team on 01329 844500 or email sales@astroflame.com and we will contact you.