



PSB Singapore

CERTIFICATE OF CONFORMITY

No. CLS1A 16 08 80855 001

Certificate Holder: Astra Door Controls Limited
Unit 4 Astra Business Centre
Roman Way
Preston
Lancashire PR2 5AP
UNITED KINGDOM

Certification Mark:



Product: Door Closers

Brand Name: Astra

Model(s): 3000 Series (Size 3)

Product Details: See CoC Appendix (1pg)

Standard(s): SS 332:2007 CI 5.1

Country of Origin: United Kingdom

Test Report(s): See CoC Appendix (1pg)

Issued on: 2016-08-22

Valid until: 2019-08-21

Products listed under Class 1A must have TÜV SÜD PSB PLS mark as shown above affixed/printed on them. Failure to comply with this requirement may result in revocation of this certificate.

Page 1 of 2

This Certificate is part of a full report and should be read in conjunction with it. This Certificate remains the property of TÜV SÜD PSB Pte Ltd and shall be returned upon request. The use of this Certificate is subjected to TÜV SÜD Group Testing and Certification Regulations; TÜV SÜD PSB Pte Ltd (PSB) General Terms and Conditions of Business and PSB Product Listing Scheme (PLS) Application Fact Sheet. The manufacturer is solely responsible for compliance of any product that has the same designation as the product type-tested. Persons relying on this Certificate should verify its validity by checking TÜV SÜD PSB's website at www.tuv-sud-psb.sg

Vice-President (Certification Department)
TÜV SÜD PSB





PSB Singapore

PRODUCT LISTING SCHEME APPENDIX

TO CERTIFICATE OF CONFORMITY NUMBER: CLS1A 16 08 80855 001

Date of Issue : 2016-08-22

Issued To : Astra Door Controls Limited
Unit 4 Astra Business Centre
Roman Way
Preston
Lancashire PR2 5AP
UNITED KINGDOM

Test Report(s) : Exova No. 189810
Exova Opinion Letter dated 2011-06-23

Product Details : Concealed door closer without backcheck function and arm

Classification :

3	8	3	1*	1	0
---	---	---	----	---	---

Category of use (first digit) : Grade 3 – for closing doors from at least 105° open

Number of test cycles (second digit) : Grade 8 – 500,000 test cycles

Test door mass (third digit) : Door closer of power size 3

Fire behavior (fourth digit) : Grade 1* - suitable for use on insulated fire door only
TÜV SÜD PSB Assessment No. 7191131170-
MEC16/ADD1-MW

Safety (fifth digit) : Grade 1 – satisfying the Essential Requirement of safety in use

Corrosion resistance (sixth digit) : Grade 0 – no defined corrosion resistance

Signed: 
Vice President (Certification Department)
TÜV SÜD PSB