


HEAVY DUTY GLASS FIBRE WELDING DRAPES

Product Code: HS1306-1, HS1306-2, HS1306-3, HS1306-4, HS1306-5, HS1306-25



These Welding Drapes provide heavy duty protection against welding splatter and sparks. Available in a range of sizes.

- Withstands temperatures up to 1000°C
- Does not contain asbestos
- Outperforms asbestos
- Superior tensile strength
- Resistant to abrasion
- Complies with BS 476 Pt 8 (now BS476 Pt 20)

	Length (m)	Width (m)	Weight (kg)
HS1306-1	1	1	1.3
HS1306-2	1	2	2.5
HS1306-3	2	2	4.6
HS1306-4	2	3	6.5
HS1306-5	3	3	10.2
HS1306-25	25	1	27.5

Weight	1230 g/m ²
Thickness (@ 100g/cm ²)	1.5 mm
Filament diameter	9μ
Burst strength (kg/ cm ²)	>50 kg/cm ²
Air permeability @ 10mm W.G.	1.6 cc/cm ² /sec
Air permeability @ ½" W.G.	3.9 ft ³ /ft ² /min
Shrinkage @ 500°C	0.4%
Thermal conductivity	0.06 W/m/K
Resistance to Blowtorch flame @ 1100°C	>30 minutes
BS476 Pt 8: Stability/Integrity	140 minutes



Product Data Sheet

Product Identification Reference	HS1306	TBA reference only
Description	Textured FORTAGLAS™ "E" Glass fabric	
Weave	Plain	
Finish	Flexible Weldstop™	
Weight (g/m ²)	1230	
Thickness (mm)	1.55	
Cloth construction Ends / dm Picks / dm	52 32	
Tensile strength Warp (N / 50mm) Weft (N / 50mm)	2728 2280	
Fire protection BS476 part 8	No flame passes through the material 2 hour rating	2242
Roll length (metre)	50	
Roll width (cm)	100	
Availability	Ex stock subject to being unsold	
All figures quoted are nominal		
The information contained in this data sheet is believed to be true at the time of printing. Any statements contained or inferred to within are an expression of opinion and presented without guarantee. It is up to the user to determine suitability of use, or potential patent infringement for specific applications.		

Title: Flexible Weldstop treated Textured "E" Glass fabric
 Revision: 4.00
 This Document (Serial no.: 1528) is controlled by Quality Workbench

Date: 09/07/2015
 Unless otherwise stated this copy is UNCONTROLLED



 **Phone: 0330 999 2233**
 **Email: info@firedepot.co.uk**
 **www.firedepot.co.uk**