

Deedlock Power Supply Units



Deedlock Power Supply Units are all 12v dc switch mode units with either 1A, 2A or 3A. These high efficiency and cost effective units are ideal for use in Intruder, Access Control and General Security applications

The power supply units meet the essential requirements of the following European Directives:-

- Low Voltage 2006/95/EC
- EMC2004/108/EC
- WEEE 2002/96/EC
- RoHS 2002/95/EC


Features & Benefits

- High efficiency electronics for reduced running costs and lower operating temperatures.
- Installer safe design with all high voltage electronic fully shrouded.
- Full electronic short circuit and overload protection on load output under mains operation.
- Mains transient protection
- Lid open and REAR anti-vandal tamper detection
- Green Mains present LED
- Red Fault LED

Code	Description
ADP121A	12V dc 1 amp Power Supply Unit
ADP122A	12V dc 2 amp Power Supply Unit
ADP123A	12V dc 3 amp Power Supply Unit

Deedlock Power Supply Units

	ADP121A	ADP122A	ADP123A
INPUT SPECIFICATION			
Voltage	90-264V ac		
Frequency	50 – 60Hz		
Maximum Current	1.0A	2.0A	3.0A
Mains Input Fuse	3.0A 250V		
Max. Standby Power – No Load and No Battery connected	0.5W		
OUTPUT SPECIFICATION			
Voltage – on mains power	13.4-14.2V dc		
Voltage – on battery standby	10.0-12.3V dc		
Max. Load Current	1.0A	2.0A	3.0A
Ripple	150mV max		
Load output Fuse	1.0A	2.0A	3.0A
STANDBY BATTERY			
Battery Type	12V dc		
Battery Capacity	7Ah		
Battery Charging Fuse	1.0A	2.0A	3.0A
BOX SIZE	(W)207 x (H)247 x (D)77mm		



For further information contact:

Securefast Plc
 Unit 6 & 7
 The Cedars Business Centre
 Avon Road, Cannock
 Staffordshire
 WS11 1QJ

Call > (+44) 1704 502801

Email > sales@securefast.co.uk

Visit > www.securefast.co.uk