

CERTIFICATE



The **European Certification Body GmbH** accredited
according to EN 45011 awards to
Gunnebo Bazancourt S.A.S., 51110 Bazancourt / FR

the right to carry the **ECB•S** certification mark for

Chubb safes Trident VI EX

Safes of resistance **GRADE VI EX** according to EN 1143-1:2012 and ECB•S C10
(Series Chubb safes Trident VI EX – Types 110, 140, 170, 210, 310, 420, 540, 600, 840, 910 and 1120)
(see Annex)

Certificate Number

0440/SA09-03A

This certificate will expire on

4 July 2017

2 August 2013

Frankfurt am Main



Dr. Markus Heering

Certification Body

European Certification Body GmbH
Lyoner Straße 18 • 60528 Frankfurt am Main • Germany

ECB•S



Gunnebo Bazancourt SAS
15, rue Fichet Bauche
51110 Bazancourt
France

Ref: NK; ZB_gunbaz_Chubbsafes Trident VI EX_SA-09-03A
Email: nils.knapp@ecb-s.com
Tel.: +49 69 66 03 15 22
Fax: +49 69 66 03 25 22
Date: 2 August 2013

Safes of resistance grade VI EX according to EN 1143-1:2012 and ECB-S C10 - Series Chubbsafes Trident VI EX

Dear Madam or Sir,

On the basis of the approved technical documentation (see annex to the certificate) the European Certification Body GmbH accredited according to EN 45011 herewith grants **Gunnebo Bazancourt SAS** with the enclosed ECB-S certificate the right to carry the certification mark with respect to the following types of the **Chubbsafes Trident VI EX** series in recognition of compliance with resistance grade VI EX of the European Standard EN 1143-1:2012 and under the condition that its adherence will be ensured by you and verified by product surveillance according to section 3.2 of the *Certification Guideline (ECB-S C10)* in its latest version.

- | | | |
|---|-----------------------------------------------|----------------------------------------------------------------------------------------------|
| 1 | Type
Outside dimensions:
weight: | Chubbsafes Trident VI EX - 110
height 790 mm, width 730 mm, depth 560 mm
635 kg |
| 2 | Type
Outside dimensions:
weight: | Chubbsafes Trident VI EX - 140
height 790 mm, width 730 mm, depth 640 mm
700 kg |

- | | | |
|----|-----------------------------------------------|--------------------------------------------------------------------------------------------------|
| 3 | Type
Outside dimensions:
weight: | Chubbsafes Trident VI EX - 170
height 920 mm, width 730 mm, depth 640 mm
790 kg |
| 4 | Type
Outside dimensions:
weight: | Chubbsafes Trident VI EX - 210
height 920 mm, width 730 mm, depth 740 mm
880 kg |
| 5 | Type
Outside dimensions:
weight: | Chubbsafes Trident VI EX - 310
height 1270 mm, width 730 mm, depth 740 mm
1150 kg |
| 6 | Type
Outside dimensions:
weight: | Chubbsafes Trident VI EX - 420
height 1470 mm, width 810 mm, depth 740 mm
1400 kg |
| 7 | Type
Outside dimensions:
weight: | Chubbsafes Trident VI EX - 540
height 1850 mm, width 810 mm, depth 740 mm
1710 kg |
| 8 | Type
Outside dimensions:
weight: | Chubbsafes Trident VI EX - 600
height 1850 mm, width 880 mm, depth 740 mm
1810 kg |
| 9 | Type
Outside dimensions:
weight: | Chubbsafes Trident VI EX - 840
height 1850 mm, width 1250 mm, depth 690 mm
2300 kg |
| 10 | Type
Outside dimensions:
weight: | Chubbsafes Trident VI EX - 910
height 1850 mm, width 1250 mm, depth 740 mm
2350 kg |
| 11 | Type
Outside dimensions:
weight: | Chubbsafes Trident VI EX - 1120
height 1890 mm, width 1500 mm, depth 740 mm
2710 kg |

The right to carry the certification mark for the certified types of the **Chubbsafes Trident VI EX-series** shall expire on **Tuesday, 4 July 2017**. It may be renewed upon request of the applicant by the European Certification Body GmbH if the products are in conformity with the then applicable edition of the European Standard EN 1143-1.

Certified Chubbsafes Trident VI EX-types shall exclusively be equipped with high security locks according to EN 1300 which are listed both in the approved technical documentation and in the lock guide ECB•S R01.

Furthermore please find attached to this letter:

- 1 The *Certification Guideline (ECB•S C10)*, October 2012
- 2 The *Certificate of Obligation* of 2 August 2013 which you are kindly requested to sign and return to us by

Friday, 30 August 2013.

We draw your kind attention to para 3.2.5 of the Certification Guideline (ECB•S C10) and kindly request you to inform ECB of the manufacturing dates of safes of the resistance grade VI EX according to EN 1143-1:2012 well in advance.

Certification marks are consecutively numbered and supplied by the headquarters of the certification body against payment. Please let us know how many you need.

Pursuant to para 5.1 of the Certification Guideline (ECB•S C10) certification marks may only be affixed to safes that comply with the type and measurements specified in the technical documentation and for which the certificate holder has been granted the right to carry the certification mark.

Yours sincerely



Falko Adomat



Nils Knapp

Encl.